

Chiller
AIR-CONDITIONING

Functional and innovative air-conditioning solutions

- customer-based product development
- easy to install and service
- can be integrated in various architectonic solutions
- stylish design


Chillquick Light™ chilled water system

Chillquick Light™ chilled water system

Chiller Oy on has developed a new, lightweight water cooling system called Chillquick Light™, which is designed for low cooling outputs from 5 to 20 kW. Typical applications include small offices, shops and industrial processes. The station has been developed for instances, where one would use devices that operate with a direct refrigerant or an air-condensed water cooling package for outdoor use.


In the system, the pump, boiler, evaporator, expansion tank, automatic system and electrical accessories are located indoors, only the condenser is mounted outdoors. With this installation method, it is not necessary to take refrigerant and antifreeze to living spaces. There is always clean water circulating in the living spaces. Indoor installation prevents generation of several operating faults, which is typical of water chillers that are installed outdoors.


The Chillquick unit requires very little service, and it can be serviced indoors. This system can be mounted very quickly, because there is no need to weld and solder pipes in the water circuit. The pipes can be manufactured with widely used, ready-made parts incl. gaskets and with an automatic pressing tool.



Chillquick-light indoor unit CQLI

Chillquick-light indoor unit CQLI is a tidy little hydro module that is installed indoors. The module has a very low noise level, and thus it can be installed in a living zone. The hydro module is dimensioned so that the water circuit can be dimensioned for 8/16 °C water, for example.





BOX-Composite cassette

A modern cassette fan coil, where both quick and easy installation and service have been taken into account in structural design. Its power consumption is only a fraction of old models of cassette fan coils.



Wall controllers



Chillquick-light condenser SAC



LS flat blower unit

Designed for small IT facilities, shopping centers and offices. The unit can be mounted in the ceiling or on the roof, and it can blow either upward or downward.




SHLK

Studioline flat blower unit

A high-quality flat blower unit with a low noise level for office facilities.



SHLC





OUR SALES AND MAINTENANCE NETWORK AT YOUR SERVICE

Chiller Oy is one of Europe's leading manufacturers of energy-efficient and optimized air-conditioning solutions. Design and service are always based on the customers' specific requirements. For more information, please contact our head office or foreign business partners.

► Read more: www.chiller.fi

Head office

Chiller Oy
Louhostie 2
FI-04300 Tuusula
FINLAND

Tel. + 358 9 2747 670
info@chiller.fi
www.chiller.fi

Sweden

Chiller Sverige AB
Stockholm
Tel. +46 8 54 50 2080
info@chillersverige.se
www.chillersverige.se

Forsberg & Tibell Kyl AB
Jönköping
Tel. +46 36 132 650
info@kyla.nu
www.kyla.nu

Norway

Chiller Norge AS
Oslo
Tel. +47 95 86 89 18
rune.nordgard@chillernorge.no
www.chillernorge.no

Estonia

Climaref OÜ
Tartu
kaarel@climaref.ee
www.climaref.ee

Lithuania

UAB Leslat
Kaunas
leslat@takas.lt
www.leslat.lt

Poland

StepSystems Sp. z o.o.
Radom
biuro@stepsystems.pl
www.stepsystems.pl



ServiceNext™
Overall Concept